

SAFETY DATA SHEET (SDS)

in accordance with Regulation (EC) No 1907/2006 (REACH), Annex II — Regulation (EU) 2020/878

Date: 31.07.2026 | Version: 5 | EN

isopropyl alcohol

propan-2-ol

CAS 67-63-0

C₃H₈O

EC 200-661-7



MOLAR MASS

60.10

LOGP

0.05

HAZARD CLASSIFICATION (GHS / CLP)



Danger

H225 H336 H319

Hazard class scope limited to the harmonised classification (CLP Annex VI); classes outside the harmonised entry may require supplier self-classification (CLP Art. 4(3)) — verify with the supplier safety data sheet.

1. Identification of the substance/mixture and of the company/undertaking

1.1 Substance name	isopropyl alcohol
1.1 IUPAC name	propan-2-ol
1.1 CAS number	67-63-0
1.1 EC number	200-661-7
1.1 PubChem CID	3776
1.1 InChIKey	KFZMGEQAYNKOFK-UHFFFAOYSA-N
1.1 SMILES	CC(C)O
1.1 Molecular formula	C ₃ H ₈ O ^[7]
1.1 Molar mass	60.10 g/mol ^[7]
1.1 Exact mass	60.0575 Da ^[7]

1.2 Uses

For laboratory and research purposes. Not for use in the production of food, medicines or cosmetics without appropriate authorisation.

1.3 Details of the supplier

Name	ADVANCED CHEMISTRY R&D SOLUTIONS
Address	ul. Juliana Przybosa 8, 21-400 Łuków, Poland
Tax ID (NIP)	
Tel.	
E-mail	
Website	

1.4 Emergency telephone number

Emergency telephone

+48 42 631 47 24

Toxicological Information Centre (CIT), Łódź — available 24/7

2. Hazards identification



Danger

Hazard statements (H) [3][4][9]

H225	Highly flammable liquid and vapour
H336	May cause drowsiness or dizziness
H319	Causes serious eye irritation

Precautionary statements (P) [3][4][9]

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P233	Keep container tightly closed
P240	Ground and bond container and receiving equipment
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing; Rinse skin with water or shower
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes; Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313	If eye irritation persists: Get medical advice/attention
P370+P378	In case of fire: Use appropriate media to extinguish
P403+P235	Store in a well-ventilated place: Keep cool
P403+P233	Store in a well-ventilated place: Keep container tightly closed
P501	Dispose of contents/container to an approved waste collection point

Hazard class scope limited to the harmonised classification (CLP Annex VI); classes outside the harmonised entry may require supplier self-classification (CLP Art. 4(3)) — verify with the supplier safety data sheet.

3. Composition/information on ingredients

Substance type	pure substance
CAS Number	67-63-0
EC number	200-661-7
Molecular formula	C ₃ H ₈ O
Concentration	≥99% (typical reagent-grade purity — to be confirmed by the supplier's specification)
Clp index no	603-117-00-0

4. First aid measures



Inhalation

Move the affected person to fresh air. Keep at rest. If not breathing: artificial respiration (qualified personnel only). ^{[1][2][13]}

Skin contact

Remove contaminated clothing. Rinse skin with soap and water (min. 15 minutes). ^{[1][2][13]}

Eye contact

Rinse eyes with running water (min. 15 minutes). Remove contact lenses if possible. If irritation persists — consult an ophthalmologist. ^{[1][2][13]}

Ingestion

Do NOT induce vomiting (unless directed by a physician). Rinse mouth with water. Never give anything by mouth to an unconscious person. Poison Centre Łódź: +48 42 631 47 24 (24/7). Emergency number: 112. ^{[1][2][13]}

Symptoms and effects

cough, shortness of breath, headache, dizziness; eye irritation and watering. ^{[3][9]}

Notes for physician

Requires verification

Emergency numbers: CIT Łódź: +48 42 631 47 24 (24/7) | Emergency: 112

5. Firefighting measures

Suitable extinguishing media	Alcohol-resistant foam, carbon dioxide (CO ₂), dry chemical powder, water spray/mist. ^{[1][2][13]}
Unsuitable extinguishing media	Full/compact water jet (splashes and spreads the burning liquid, which floats on water). ^{[1][2][13]}
Specific hazards	Thermal decomposition products: CO, CO ₂ . ^[14]
Advice for firefighters	Use self-contained breathing apparatus (SCBA). Full protective suit. ^{[1][2][13]}
Flash Point	11.7°C ^[7]
Auto-ignition temperature	398.9°C ^[7]

6. Accidental release measures

Personal precautions	Use personal protective equipment (see Section 8). Avoid breathing vapours. ^{[1][2][13]}
Environmental precautions	Prevent entry into sewers, groundwater and surface water. ^{[1][2][13]}
Methods for containment and cleaning up	Contain the spill with a barrier. Absorb with inert material (sand, vermiculite, diatomaceous earth). Collect into sealed, labelled containers. Do not release into drains. Remove ignition sources; use non-sparking tools. ^{[1][2][13]}
Related sections	8; 13

7. Handling and storage

Precautions	Work in a fume hood or with adequate ventilation. No eating, drinking or smoking in the work area. ^{[1][2][13]}
-------------	--

Storage temperature	Store at room temperature (15-25°C) or as indicated on the label. ^{[1][2][13]}
Humidity	Store in a dry place (<60% RH). ^{[1][2][13]}
Light	Protect from direct sunlight. ^{[1][2][13]}
Incompatible materials	Strong oxidizers, Ignition sources, open flames. ^[14]

8. Exposure controls/personal protection

8.1 Control parameters

OEL — NDS (Poland)	NDS = 900 mg/m ³ (TWA) · NDSch = 1200 mg/m ³ (STEL) — Polish MRPiPS Regulation (NDS/NDSch list) ^[24]
OEL (EU)	The EU OEL value has not been verified against the available dataset — check the IOELV/BOELV directives; do not assume the absence of a value.
DNEL	No data available.
PNEC	No data available.

8.2 Personal protective equipment (PPE) ^{[5][6][15]}

 Chemical-resistant protective gloves EN ISO 374-1:2016+A1:2018 nitrile (min. 0.11 mm)	 Closed safety spectacles or goggles EN ISO 16321-1:2022 / EN 166:2001	 Respiratory protection EN 14387:2004+A1:2008 type A2 filter (organic vapours)	 Closed safety footwear with toe protection EN ISO 20345:2022 (S2/S3)
---	---	---	---

9. Physical and chemical properties

Property (item 9.1)	Value	Source
Physical state	Liquid	
Colour	Colorless liquid ^[7]	
Odour	Pleasant odor ^[7]	
pH (1% aqueous solution)	No data available.	
Melting point	-89.5°C (experimental data) ^[7]	
Boiling point	82.3°C ^{[7][22]}	
Flash point	11.7°C ^{[7][22]}	
Flammability	Flam. Liq. 2 (H225) ^{[3][9]}	
Lower and upper explosion limit	2–13.4 % obj. ^[22]	
Density (20°C)	0.785 g/cm ³ (experimental data) ^[7]	
Vapour pressure	4.4 kPa (33 mmHg, 20°C) ^{[7][22]}	
Relative vapour density	2.07 ^[21]	
Dynamic viscosity	2.038 mPa·s ^[7]	
Kinematic viscosity	No data available.	
Refractive index n_D²⁰	1.3769 (experimental data) ^[7]	
Auto-ignition temperature	398.9°C (experimental data) ^[7]	

Property (item 9.1)	Value	Source
Decomposition temperature	Not applicable	
Surface Tension	23 mN/m ^[8]	
Rozpuszcz. w wodzie	Miscible with water in all proportions. ^[8]	
Particle characteristics	Not applicable (REACH 9.1(r))	
Partition coefficient n-octanol/water (log value)	0.05 ^{[8][23]}	
Molar mass	60.10 g/mol ^[7]	
Molecular formula	C ₃ H ₈ O ^[7]	

10. Stability and reactivity

Reactivity	Stable under normal storage and handling conditions.
Chemical stability	Thermally stable under recommended conditions.
Hazardous reactions	No hazardous reactions known under normal conditions.
Conditions to avoid	High temperatures, direct sunlight, moisture.
Incompatible materials	Strong oxidizers, Ignition sources, open flames.
Decomposition products	Thermal decomposition products:CO, CO ₂ .

11. Toxicological information

LD50 (oral)	LD50 11300 mg/kg (rat, oral) ^[7]
LD50 (dermal)	No data available.
LC50 (inhalation)	LC50 16000 ppm (8 h) (rat) ^[7]
Skin irritation	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
Eye irritation	Category 2 — eye irritation.
Sensitisation	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
Mutagenicity	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
Carcinogenicity	No harmonised CLP classification as carcinogenic; for carcinogenicity assessment see the IARC classification below. ^[18]
IARC classification (carcinogenicity)	IARC Group 3 — not classifiable as to its carcinogenicity to humans. [local snapshot — not verified against the current IARC list] ^[18]
Reproductive toxicity	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
STOT — single exposure	Category 3 (H336): May cause drowsiness or dizziness. ^{[3][9]}
STOT — repeated exposure	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}
Aspiration hazard	Not classified for this hazard (outside the scope of the harmonised classification in CLP Annex VI; verify supplier self-classification) ^{[3][9]}

12. Ecological information

Aquatic toxicity	LC ₅₀ (fish): 4200 mg/L (Rasbora heteromorpha, 96 h). EC ₅₀ (Daphnia): 7550 mg/L (Daphnia magna, 48 h). EC ₅₀ (algae): 8040 mg/L (Raphidocelis subcapitata, 48 h) ^[20]
Persistence / biodegradability	No data available.
Bioaccumulative potential	log Kow = 0.05 ^[8] . Low bioaccumulation potential (log Kow < 4.5 — PBT/vPvB screening criterion per ECHA Guidance R.11). ^{[16][17]}
Mobility in soil	No data available.
PBT/vPvB assessment	Insufficient data to assess PBT/vPvB.
Endocrine disrupting properties	Zgłoszone efekty endokrynne u organizmów wodnych (dane ekotoksykologiczne, US EPA ECOTOX; nie stanowią regulacyjnej klasyfikacji ED wg 2018/605). [PL] ^[20]
Badania przesiewowe bioaktywności (EPA CompTox)	Substance tested in 39/300 bioactivity assays under the EPA ToxCast/Tox21 program (high-throughput screening, multiple unrelated biological targets). This count reflects testing coverage only — it does NOT constitute a finding of endocrine, toxic, or other biological activity. ^[19]

13. Disposal considerations

Disposal method	Hand over for disposal to licensed contractors in accordance with national and local regulations. Do not discharge into sewers.
Waste code (EWC)	16 05 06* — Laboratory and analytical chemicals (np. chemical reagents) zawierające substancje niebezpieczne. EWC code verification required. ^[12]
Packaging	Cleaned packaging may be recycled. Contaminated packaging must be treated as hazardous waste.

14. Transport information



Class 3 — Flammable liquids

UN number	UN 1219 ^[11]
Proper shipping name	Isopropanol (propan-2-ol) ^[11]
Transport hazard class	3 ^[11]
Packing Group	II ^[11]
Environmental hazard	Not classified as environmentally hazardous for transport (no H400/H410/H411 in CLP Annex VI; no marine pollutant mark required) ^[3]
Special precautions	Handle as dangerous goods according to the assigned class (ADR/IMDG/IATA); apply the precautions appropriate to that class.
CN/HS code	CN/HS code: verification required in the Eurostat Combined Nomenclature.
Notes	Transport classification per ADR / UN Model Regulations (UN number, class and packing group above). Verify the ADR/IMDG/IATA edition in force on the date of shipment. ^[11]

15. Regulatory information

SVHC status	Nie figuruje na liście kandydackiej SVHC REACH (art. 59) — stan listy ECHA: 2026-05-23. [PL] ^[1]
--------------------	---

REACH Annex XIV	Nie figuruje w Załączniku XIV REACH (lista autoryzacyjna) — stan listy ECHA: 2025-09-13. [PL] ^[1]
REACH Annex XVII	Not confirmed in the available Annex XVII dataset — verify against the current ECHA list before placing on the market; do not assume absence of restriction. ^[1]
Verification date	2026-07-31
IARC classification (carcinogenicity)	IARC Group 3 — not classifiable as to its carcinogenicity to humans.

16. Other information

Legal status of classification: harmonised under CLP Annex VI — Reg. (EC) No 1272/2008 (as at the date of issue). Entries with an entry-into-force date after 31.07.2026 were omitted as future (not yet applicable).

Data aggregated automatically from public reference databases (PubChem, ECHA, NIST and others).

Full text of H statements

H225	Highly flammable liquid and vapour
H336	May cause drowsiness or dizziness
H319	Causes serious eye irritation

Full text of P statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P233	Keep container tightly closed
P240	Ground and bond container and receiving equipment
P260	Do not breathe dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing; Rinse skin with water or shower
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes; Remove contact lenses, if present and easy to do. Continue rinsing
P337+P313	If eye irritation persists: Get medical advice/attention
P370+P378	In case of fire: Use appropriate media to extinguish
P403+P235	Store in a well-ventilated place: Keep cool
P403+P233	Store in a well-ventilated place: Keep container tightly closed
P501	Dispose of contents/container to an approved waste collection point

Abbreviations

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (Reg. (EC) 1272/2008)
CMR	Carcinogenic, Mutagenic, toxic to Reproduction
DNEL	Derived No-Effect Level
EC	European Community number
EPI	Personal protective equipment

GHS	Globally Harmonized System
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
SDS	Safety Data Sheet
LC50	Lethal Concentration, 50%
LD50	Lethal Dose, 50%
NDS	Maximum admissible concentration (workplace, PL)
NDSch	Short-term exposure limit (PL)
OEL	Occupational Exposure Limit
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (Reg. (EC) 1907/2006)
STOT	Specific Target Organ Toxicity
SVHC	Substance of Very High Concern
TPSA	Topological Polar Surface Area
vPvB	very Persistent and very Bioaccumulative

Version history

v5 (31.07.2026) Based on ECHA harmonised classification (Annex VI to CLP, ATP 23).

References

- [1] EP and Council. Reg.(EC) No 1907/2006 (REACH). Art.31, Annex II. OJ EU L 396/2006. URL: <https://eur-lex.europa.eu/eli/reg/2006/1907/oj> Accessed: 2026-07-31.
- [2] European Commission. Reg.(EU) 2020/878 — amending Annex II REACH. OJ EU L 203/2020. From 01.01.2023. URL: <https://eur-lex.europa.eu/eli/reg/2020/878/oj> Accessed: 2026-07-31.
- [3] EP and Council. Reg.(EC) 1272/2008 (CLP) + ATP 23. OJ EU L 353/2008. URL: <https://eur-lex.europa.eu/eli/reg/2008/1272/oj> Accessed: 2026-07-31.
- [4] United Nations. GHS Rev.9. ST/SG/AC.10/30/Rev.9. New York and Geneva: United Nations, 2021. URL: <https://unece.org/transport/dangerous-goods/ghs-rev9-2021> Accessed: 2026-07-31.
- [5] ISO. ISO 7010:2019 — Graphical symbols. Safety signs. URL: <https://www.iso.org/standard/72424.html> Accessed: 2026-07-31.
- [6] ISO. ISO 3864-1:2011 — Safety colours and safety signs. URL: <https://www.iso.org/standard/51021.html> Accessed: 2026-07-31.
- [7] PubChem. National Center for Biotechnology Information (NIH/NLM), chemical compound database. URL: <https://pubchem.ncbi.nlm.nih.gov/compound/3776>
- [8] Yaws, C.L. Thermophysical Properties of Chemicals and Hydrocarbons. 2nd ed. Amsterdam: Elsevier (Gulf Professional Publishing), 2014.
- [9] ECHA. European Chemicals Agency — harmonised classification inventory (CLP Annex VI). URL: <https://echa.europa.eu>
- [10] ECHA. REACH Registration Dossier (registered substance, acute toxicity study record). Helsinki: European Chemicals Agency. URL: <https://echa.europa.eu/registration-dossier>
- [11] UNECE. European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), 2025 edition (ECE/TRANS/352). Geneva: United Nations. URL: <https://unece.org/adr>
- [12] European Commission. Decision 2000/532/EC establishing a list of wastes (European Waste Catalogue). OJ EU L 226/3. URL: <https://eur-lex.europa.eu/eli/dec/2000/532/oj>
- [13] European Chemicals Agency (ECHA). Guidance on the Compilation of Safety Data Sheets. Version 4.0. Helsinki: European Chemicals Agency, 2020. URL: https://echa.europa.eu/documents/10162/2324906/sds_en.pdf
- [14] Urben, P.G., ed. Bretherick's Handbook of Reactive Chemical Hazards. 8th ed. Oxford: Academic Press.
- [15] CEN. Personal protective equipment standards (EN ISO 374-1, EN 166, EN 149, EN 14387, EN ISO 20345). Brussels: European Committee for Standardization.
- [16] ECHA. Guidance on Information Requirements and Chemical Safety Assessment, Chapter R.11: PBT/vPvB Assessment. Helsinki: European Chemicals Agency. URL: <https://echa.europa.eu/guidance-documents/guidance-on-information-requirements-and-chemical-safety-assessment>
- [17] European Parliament and Council. Regulation (EC) No 1907/2006 (REACH), Annex XIII — Criteria for the identification of PBT and vPvB substances. OJ EU L 396/2006 (consolidated). URL: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:02006R1907-20140410>
- [18] IARC. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon: International Agency for Research on Cancer. URL: <https://monographs.iarc.who.int>
- [19] U.S. EPA. CompTox Chemicals Dashboard — ToxCast/Tox21 high-throughput screening bioactivity summary (testing coverage, not a hazard finding). Washington, DC: U.S. Environmental Protection Agency. URL: <https://comptox.epa.gov/dashboard/chemical/details/DTXSID7020762>
- [20] U.S. EPA. ECOTOX Knowledgebase. Washington, DC: U.S. Environmental Protection Agency. URL: <https://cfpub.epa.gov/ecotox/>
- [21] MOL-GOD. Value obtained by calculation from the molecular formula/molecular weight (the specific quantity and its formula are indicated at the respective field). Calculated value, not an experimental measurement. URL: <https://www.nist.gov/pml/atomic-weights-and-isotopic-compositions-relative-atomic-masses>
- [22] DECHEMA, PTB, and BAM. CHEMSAFE - Database of Evaluated Safety Characteristics for the Avoidance of Explosions. Frankfurt am Main: DECHEMA e.V.; Braunschweig/Berlin: Physikalisch-Technische Bundesanstalt und Bundesanstalt für Materialforschung und -prüfung. URL: <https://www.chemsafe.ptb.de>
- [23] Sangster, J. "Octanol-Water Partition Coefficients of Simple Organic Compounds." Journal of Physical and Chemical Reference Data 18, no. 3 (1989): 1111-1229. URL: <https://doi.org/10.1063/1.555833>
- [24] MRIPS Regulation of 12.06.2018 — NDS/NDN. Journal of Laws 2024 item 1017. URL: <https://isap.sejm.gov.pl/isap.nsf/DocDetails.xsp?id=WDU20240001017> Accessed: 2026-07-31.

External links

NIST: <https://webbook.nist.gov/cgi/cbook.cgi?ID=67-63-0>

ChEMBL: https://www.ebi.ac.uk/chembl/compound_report_card/CHEMBL582

NFPA 704 (supplementary information — NFPA/USA system; not a required element of an EU safety data sheet under REACH Annex II)



Legal notice: This document was generated automatically from data provided by PubChem (NIH), ECHA, NIST WebBook, ChemSpider (RSC), Wikidata and other public databases. It DOES NOT REPLACE an approved Safety Data Sheet (SDS) compliant with Regulation (EC) No 1907/2006 (REACH). Before using the substance, verify the data against the manufacturer's current SDS.

Generator: Document generated automatically from ECHA harmonised classification (Annex VI to CLP) and public physicochemical databases.

Author: www.MolGod.org — platform for automated safety data sheets (SDS).

Issue date: 31.07.2026 | Document version: 5

DRAFT